

3/8" ID 1-1/8" OD FLANGED BALL BEARING
(am-0573)

| REVISION HISTORY | | | |
|------------------|----------------|-----------|-------------|
| REV. | DESCRIPTION | DATE | DRAWN |
| 1 | ORIGINAL PRINT | 1/15/2019 | N. MASSOUDA |


6" PERFORMANCE WHEEL, BEARING BORE (am-3868)

42 TOOTH PULLEY EXTENSION
(am-2813)

SHCS 10-32 X 2" (am-1049) (6)

1/2" ID BEARING (am-0181)

3/8" ID, 1/2" OD NYLON
SHOULDER SPACER
(am-1519)



| | | | |
|---------------------------------|---------|-------------------------------------|------|
| UNLESS OTHERWISE SPECIFIED: | | COMMENTS: | |
| DIMENSIONS ARE IN INCHES | | DUAL DIMENSIONS ARE IN MILLIMETERS. | |
| TOLERANCES: | | BREAK ALL SHARP EDGES | |
| FRACTIONAL | ±1/16 | | |
| ANGULAR: MACH | ±1° | | |
| ANGULAR: BEND | ±5° | | |
| ONE PLACE DECIMAL | ±0.1 | | |
| TWO PLACE DECIMAL | ±0.01 | | |
| THREE PLACE DECIMAL | ±0.005 | | |
| FOUR PLACE DECIMAL | ±0.0005 | | |
| MATERIAL | | NAME | DATE |
| FINISH | | CHECKED | |
| | | ENG APPR. | |
| | | MFG APPR. | |
| DO NOT SCALE DRAWING | | Q.A. | |



TITLE:
AM14U4 UPGRADE KIT 8WD
WITH 6 IN. PERFORMANCE
WHEEL LAYOUT

| | | |
|------------|--------------|--------------|
| SIZE | DWG. NO. | REV |
| A | am-14U4_PW68 | 1 |
| SCALE: 1:1 | WEIGHT: | SHEET 1 OF 2 |

5

4

3

2

1


3/8" HEX SPACER 1/2" LONG
(am-3947-500)

3/8" HEX SPACER
1/2" LONG
(AM-3947-500) (2)

250 SPROCKET AND PULLEY SPACER (am-0207a)

42 TOOTH HTD TIMING PULLEY,
15MM WIDE (am-2234)

| REVISION HISTORY | | | |
|------------------|----------------|---------|-------------|
| REV. | DESCRIPTION | DATE | DRAWN BY |
| 1 | ORIGINAL PRINT | 1/15/19 | N. MASSOUDA |






| | | | |
|---------------------------------|---------|-------------------------------------|------|
| UNLESS OTHERWISE SPECIFIED: | | COMMENTS: | |
| DIMENSIONS ARE IN INCHES | | DUAL DIMENSIONS ARE IN MILLIMETERS. | |
| TOLERANCES: | | BREAK ALL SHARP EDGES | |
| FRACTIONAL | ±1/16 | | |
| ANGULAR: MACH | ±1° | | |
| ANGULAR: BEND | ±5° | | |
| ONE PLACE DECIMAL | ±0.1 | | |
| TWO PLACE DECIMAL | ±0.01 | | |
| THREE PLACE DECIMAL | ±0.005 | | |
| FOUR PLACE DECIMAL | ±0.0005 | | |
| MATERIAL | | NAME | DATE |
| FINISH | | CHECKED | |
| | | ENG APPR. | |
| | | MFG APPR. | |
| DO NOT SCALE DRAWING | | Q.A. | |



TITLE:
**AM14U4 UPGRADE KIT 8WD
 WITH 6 IN. PERFORMANCE
 WHEEL LAYOUT**

| | | |
|------------|--------------|--------------|
| SIZE | DWG. NO. | REV |
| A | am-14U4_PW68 | 1 |
| SCALE: 1:1 | WEIGHT: | SHEET 2 OF 2 |



| | | | | | | |
|---------------------------------|---------|-------------------------------------|------|---|--------------|---------|
| UNLESS OTHERWISE SPECIFIED: | | COMMENTS: | |  | | |
| DIMENSIONS ARE IN INCHES | | DUAL DIMENSIONS ARE IN MILLIMETERS. | | | | |
| TOLERANCES: | | BREAK ALL SHARP EDGES | | SIZE | DWG. NO. | REV |
| FRACTIONAL | ±1/16 | | | A | am-14U4_PW68 | 1 |
| ANGULAR: MACH | ±1° | | | | | |
| ANGULAR: BEND | ±5° | | | | | |
| ONE PLACE DECIMAL | ±0.1 | | | | | |
| TWO PLACE DECIMAL | ±0.01 | | | | | |
| THREE PLACE DECIMAL | ±0.005 | | | | | |
| FOUR PLACE DECIMAL | ±0.0005 | | | | | |
| MATERIAL | | CHECKED | NAME | DATE | | |
| FINISH | | ENG APPR. | | | | |
| | | MFG APPR. | | | | |
| DO NOT SCALE DRAWING | | Q.A. | | | SCALE: 1:4 | WEIGHT: |
| | | | | | SHEET 1 OF 1 | |