





REVISION HISTORY			
REV.	DESCRIPTION	DATE	DRAWN BY
1	ORIGINAL PRINT	10/3/2008	A. BAKER
2	CHAMFER REMOVED, THICKNESS TO 0.090	10/5/2015	D. BLAU
3	CHAMFER ADDED, UPDATED TO AMDS-1	7/16/2018	A. MILLS
4	UPDATED MATERIAL AND FINISH	12/19/2019	N. MASSOUDA



DETAIL A
SCALE 4 : 1

*** SEE CAD FOR ADDITIONAL TOOLPATH INFO***

UNLESS OTHERWISE SPECIFIED:		COMMENTS:				
DIMENSIONS ARE IN INCHES		DUAL DIMENSIONS ARE IN MILLIMETERS.				
TOLERANCES: FRACTIONAL $\pm 1/16$ ANGULAR: MACH $\pm 1^\circ$ ANGULAR: BEND $\pm 5^\circ$ ONE PLACE DECIMAL ± 0.1 TWO PLACE DECIMAL ± 0.01 THREE PLACE DECIMAL ± 0.005 FOUR PLACE DECIMAL ± 0.0005		BREAK ALL SHARP EDGES		48T 25 CHAIN BEARING BORE SPROCKET		
MATERIAL		NAME	DATE	SIZE	DWG. NO.	REV
7075-T6 AL		CHECKED	NM	7/16/18	A	am-0236
FINISH		ENG APPR.				4
SILVER ANODIZE		MFG APPR.				
DO NOT SCALE DRAWING		Q.A.			SCALE: 1:1	WEIGHT:
						SHEET 1 OF 1