

4

3

2

1

REVISION HISTORY			
REV.	DESCRIPTION	DATE	DRAWN BY
1	ORIGINAL PRINT	10/9/2023	P. YEUNG

QTY 2: 0.375 OD X 0.25 NYLON SPACER (am-1700)

QTY 4: 5 mm ID 13 mm OD BEARING (am-4724)

QTY 6: 10-32 NYLOCK JAM NUT (am-1063)

QTY 2: 10-32 x 1.50" SHCS (am-1014)

QTY 1: 0.375 OD X 1.00 NYLON SPACER (am-1696)


QTY 2: 150° GUSSET (am-5010_150)

QTY 1: 10-32 x 0.75" SHCS (am-1047)

QTY 3: 10-32 x 2.00" SHCS (am-1049)

QTY 1: 0.50" WIDE 30" LONG CONSTANT FORCE SPRING (am-4666)

QTY 6: #10 WASHER (am-1026)



QTY 4: 10-32 x 1.50" SHCS (am-1014)

QTY 5: #10 WASHER (am-1026)


QTY 5: 10-32 NYLOCK JAM NUT (am-1063)

QTY 1: 10-32 x 0.75" SHCS (am-1047)


QTY 2: 2x4 PLATE (am-5006_2X4)

QTY 3: 0.375 OD X 0.25 NYLON SPACER (am-1700)

QTY 4: 5 mm ID 13 mm OD BEARING (am-4724)



*** SEE CAD FOR ADDITIONAL TOOLPATH INFO***



ALUMINUM TUBES & MOTOR NOT INCLUDED

UNLESS OTHERWISE SPECIFIED:		COMMENTS:				
DIMENSIONS ARE IN INCHES		DUAL DIMENSIONS ARE IN MILLIMETERS.				
TOLERANCES:		BREAK ALL SHARP EDGES.		SIZE	DWG. NO.	REV
FRACTIONAL	±1/16			B	am-5165	1
ANGULAR: MACH	±1°			SCALE: 1:2		
ANGULAR: BEND	±5°			SHEET 1 OF 1		
ONE PLACE DECIMAL	±0.1					
TWO PLACE DECIMAL	±0.01					
THREE PLACE DECIMAL	±0.005					
FOUR PLACE DECIMAL	±0.0005					
MATERIAL	VARIOUS	CHECKED	NAME	DATE		
FINISH		ENG APPR.	NM	10/12/23		
DO NOT SCALE DRAWING		MFG APPR.				
		Q.A.				

4

3

2

1